

Features

- 3528 1.9mm SMD LED
- High Brightness
- AllnGaP / InGaN Technology
- Small package
- High reliability
- Clear Lens

Applications

- Consumer Electronics
- Wearable
- Automobile After Market
- Industrial Equipment

Description

The IN-P32AT series is a popular low profile 3528 package with versatile design capabilities. It is a PLCC type silicone style LED which can be used in various applications.

Recommended Solder Pattern




Figure 1. IN-P32AT Solder Pattern

Package Dimensions in mm




Figure 2. IN-P32AT Package Dimensions



Absolute Maximum Rating at 25°C (Note 1)

Product	Emission Color	P _d (mW)	I _F (mA)	I _{FP} * (mA)	V _R (V)	Top (°C)	T _{ST} (°C)
IN-P32ATYG	Yellow Green	90	30				
IN-P32ATY	Yellow	75	30	70			-40°C~+90°C
IN-P32ATA	Amber	75	30	70			
IN-P32ATR	Red	90	30		5	-30°C~+85°C	
IN-P32ATB	Blue	90	30				
IN-P32ATG	Green	90	30	100			
IN-P32AT5UW	White	90	25				

Notes

1. Condition for IFP is pulse of 1/10 duty and 0.1msec width

ESD Precaution

ATTENTION: Electrostatic Discharge (ESD) protection



The symbol above denotes that ESD precaution is needed. ESD protection for GaP and AlGaAs based chips is necessary even though they are relatively safe in the presence of low static-electric discharge. Parts built with AllnGaP, GaN, or/and InGaN based chips are STATIC SENSITIVE devices. ESD precaution must be taken during design and assembly.

If manual work or processing is needed, please ensure the device is adequately protected from ESD during the process.

Please be advised that normal static precautions should be taken in the handling and assembly of this device to prevent damage or degradation which may be induced by electrostatic discharge (ESD).



Electrical Characteristics $T_A = 25\mathbb{C}$ (Note 1)

	Emission		V _F ((V)		λ(nm)		Viewing Angel	I [*] ∨(mcd)
Product	Color	I _F (mA)	min	max	λ	λ _P	Δλ	2 <i>\theta</i> 1/2	typ.
IN-P32ATYG	Yellow Green	20	1.8	2.6	573	576	15	120	110
IN-P32ATY	Yellow	20	1.8	2.6	590	595	15	120	230
IN-P32ATA	Amber	20	1.8	2.4	605	609	17	120	200
IN-P32ATR	Red	20	1.8	2.4	622	628	20	120	285
IN-P32ATB	Blue	20	2.8	3.6	467	473	30	120	600
IN-P32ATG	Green	20	2.8	3.6	521	530	35	120	1800
IN-P32AT5UW	White	5	2.7	3.1	X=0.27 Y=0.26	1	-	120	1000

Notes


^{1.} Performance guaranteed only under conditions listed in above tables.



Chromaticity Bin (for White only)


Bin Code	CIE-X	CIE-Y									
	0. 2545	0. 2480		0. 2640	0. 2670		0. 2830	0. 3050		0. 2920	0. 3060
A5	0. 2589	0. 2445	B1	0. 2680	0. 2623	C1	0. 2863	0. 2978	D1	0. 2935	0. 3015
l vo	0.2680	0. 2623	DI	0. 2772	0. 2800	CI	0. 2923	0.3052] 1/1	0. 2997	0. 3088
	0.2640	0. 2670		0. 2735	0. 2860		0. 2895	0.3134		0. 2984	0. 3133
	0. 2589	0. 2445		0. 2720	0. 2575		0. 2863	0. 2978		0. 2935	0. 3015
16	0.2633	0. 2410	B2	0. 2680	0. 2623	C2	0. 2895	0. 2905	D2	0. 2950	0. 2970
A6	0.2720	0. 2575	B2	0. 2772	0. 2800	C2	0. 2950	0. 2970	D2	0.3009	0. 3042
	0.2680	0. 2623		0. 2808	0. 2740		0. 2923	0.3052		0. 2997	0. 3088
	0. 2677	0. 2375		0. 2720	0. 2575		0. 2895	0. 2905		0. 2950	0. 2970
1.7	0.2633	0. 2410	D2	0. 2760	0. 2528	C3	0. 2928	0. 2833	Do.	0. 2965	0. 2925
A7	0. 2720	0. 2575	В3	0. 2844	0. 2680	C3	0. 2977	0. 2891	D3	0.3023	0. 2990
	0.2760	0. 2528		0. 2808	0. 2740		0. 2950	0. 2970		0.3009	0. 3042
	0. 2720	0. 2340		0. 2760	0. 2528		0. 2928	0. 2833		0. 2965	0. 2925
10	0. 2677	0. 2375	B4	0. 2844	0. 2680	C4	0. 2977	0. 2891	D4	0.2980	0. 2880
A8	0.2760	0. 2528	D4	0. 2880	0. 2620	C4	0.3003	0. 2812	D4	0.3037	0. 2937
	0.2800	0. 2480		0. 2800	0. 2480		0. 2960	0.2760		0.3023	0. 2990
	0.2984	0.3133		0. 2735	0. 2860		0. 2883	0.3172		0. 2937	0. 3312
р,	0. 2997	0.3088	חב	0. 2772	0. 2800	05	0. 2870	0.3210	, nc	0. 2950	0. 3266
E1	0.3058	0.3160	B5	0. 2863	0. 2978	C5	0. 2937	0. 3312	D5	0.3017	0. 3360
	0.3048	0.3207		0. 2830	0. 3050		0.2950	0.3266		0.3005	0. 3415
	0. 2997	0.3088		0. 2772	0. 2800		0. 2883	0.3172	De	0. 2950	0. 3266
Eo	0.3009	0.3042	D.C.	0. 2808	0. 2740	C6	0. 2950	0.3266		0. 2962	0. 3220
E2	0.3068	0.3113	В6	0. 2895	0. 2905	Co	0. 2962	0.3220	D6	0.3028	0. 3304
	0.3058	0.3160		0. 2863	0. 2978		0. 2895	0.3134		0.3017	0. 3360
	0.3009	0.3042		0. 2808	0. 2740		0. 2895	0.3134		0. 2962	0. 3220
Eo	0.3023	0. 2990	D.7	0. 2844	0. 2680	67	0. 2908	0.3097	D7	0. 2973	0. 3177
E3	0.3081	0.3053	В7	0. 2928	0. 2833	C7	0. 2973	0.3177	D7	0.3038	0. 3256
	0.3068	0. 3113		0. 2895	0. 2905		0. 2962	0.3220		0.3028	0. 3304
	0.3023	0. 2990		0. 2844	0. 2680		0. 2908	0.3097		0. 2973	0. 3177
P.4	0.3037	0. 2937	DO	0. 2928	0. 2833	00	0. 2920	0.3060	DO	0. 2984	0. 3133
E4	0.3093	0. 2993	B8	0. 2960	0. 2760	C8	0.2984	0.3133	D8	0.3048	0. 3207
	0.3081	0. 3053		0. 2880	0. 2620		0. 2973	0.3177		0.3038	0. 3256
	0.25	0. 251		0.26	0. 271		0. 27	0. 291		0.28	0.311
Z2	0. 26	0. 271	Z3	0. 27	0. 291	Z4	0. 28	0.311	Z5	0. 2871	0. 321
	0. 264	0. 267	23	0. 2735	0. 286	2.4	0. 283	0. 305	25	0. 2895	0. 3134
	0. 2545	0. 248		0. 264	0. 267		0. 2735	0. 286		0. 283	0.305
	0. 2497	0. 2267		0. 2497	0. 2267		0. 2593	0. 2223		0. 2640	0. 2200
A1	0. 245	0. 229	4.0	0. 2589	0. 2445	A3	0. 2677	0. 2375		0. 2593	0. 2223
l vi	0. 2545	0. 248	A2	0. 2633	0. 241	A9	0. 2633	0. 2410	A4	0. 2677	0. 2375
	0. 2589	0. 2445		0. 2545	0. 2245		0. 2545	0. 2245		0. 2720	0. 2340
	0. 24	0. 231									
,,,	0. 25	0. 251									
Z1	0. 2545	0. 248									
	0. 245	0. 2291									








Typical Characteristic Curves - YG, Y, A, R






Typical Characteristic Curves - B, G, W





Typical Characteristic Curves – Radiation Pattern




Ordering Information

Product	Emission Color	Technolog y	Test Current I _F (mA)	Luminous Intensity I _V (mcd) (Typ.)	Forward Voltage V _F (V) (Typ.)	Orderable Part Number
IN-P32ATYG	Yellow Green	AllnGaP	20	110	2.2	IN-P32ATYG
IN-P32ATY	Yellow	AllnGaP	20	230	2.2	IN-P32ATY
IN-P32ATA	Amber	AllnGaP	20	200	2.0	IN-P32ATA
IN-P32ATR	Red	AllnGaP	20	285	2.0	IN-P32ATR
IN-P32ATB	Blue	InGaN	20	600	3.1	IN-P32ATB
IN-P32ATG	Green	InGaN	20	1800	3.1	IN-P32ATG
IN-P32AT5UW	White	InGaN	5	1000	2.9	IN-P32AT5UW



Label Specifications



Inolux P/N:

I	N	-	Р	3	2	Α	Т			Х	-	Χ	Х	Х	Χ
			Material	Pacl	kage	Variation	Orientation	Current	Lens	Color				mize p-of	
Inc	blux		P = PLCC Type	32A :	= 3.5 x	2.8 x 1.9mm	T = Top Mount	(Blank) = 20mA 5=5mA	(Blank) = Clear U = Diffused	R=628nm A=609nm Y=595nm YG=576nm G=530nm B=473nm W=White					


Lot No.:

Z	2	0	1	7	01	24	001
Internal		Year (2017		Month	Data	Serial	
Tracker		rear (2017)	, 2016,)		MOHUH	Date	Serial




Packaging Information: 2000pcs Per Reel

Tape Dimension




Reel Dimension





Packing Dimension



5 boxes per carton are available depending on shipment quantity.

	Specification	Material	Quantity
Carrier tape	Per EIA 481-1A specs	Conductive black tape	2000pcs per reel
Reel	Per EIA 481-1A specs	Conductive black	
Label	IN standard	Paper	
Packing bag	220x240mm	Aluminum laminated bag/ no-zipper	One reel per bag
Carton	IN standard	Paper	Non-specified
Ott		<u> </u>	·

Others:

Each immediate box consists of 5 reels. The 5 reels may not necessarily have the same lot number or the same bin combinations of Iv, λ_D and Vf. Each reel has a label identifying its specification; the immediate box consists of a product label as well.




Dry Pack

All SMD optical devices are **MOISTURE SENSITIVE**. Avoid exposure to moisture at all times during transportation or storage. Every reel is packaged in a moisture protected anti-static bag. Each bag is properly sealed prior to shipment.

Upon request, a humidity indicator will be included in the moisture protected anti-static bag prior to shipment.


The packaging sequence is as follows:



Reflow Soldering

- Recommended tin glue specifications: melting temperature in the range of 178~192 °C
- The recommended reflow soldering profile is as follows (temperatures indicated are as measured on the surface of the LED resin):

Lead-free Solder Profile





Precautions

- Avoid exposure to moisture at all times during transportation or storage.
- Anti-Static precaution must be taken when handling GaN, InGaN, and AllnGaP products.
- It is suggested to connect the unit with a current limiting resistor of the proper size. Avoid applying a reverse voltage.
- Avoid operation beyond the limits as specified by the absolute maximum ratings.
- Avoid direct contact with the surface through which the LED emits light.
- If possible, assemble the unit in a clean room or dust-free environment.

Reworking

- Rework should be completed within 5 seconds under 260 °C.
- The iron tip must not come in contact with the copper foil.
- Twin-head type is preferred.

Cleaning

Following are cleaning procedures after soldering:

- An alcohol-based solvent such as isopropyl alcohol (IPA) is recommended.
- Temperature x Time should be 50°C x 30sec. or <30°C x 3min
- Ultra sonic cleaning: < 15W/ bath; bath volume ≤ 1liter
- Curing: 100 °C max, <3min

Cautions of Pick and Place

- Avoid stress on the resin at elevated temperature.
- · Avoid rubbing or scraping the resin by any object.
- Electro-static may cause damage to the component. Please ensure that the equipment is properly grounded. Use of an ionizer fan is recommended.



IN-P32AT series Top View SMD LED 3528 PLCC2

Reliability

Item	Frequency/ lots/ samples/	Standards	Conditions
Ttoill	failures	Reference	
D 199	For all reliability	J-STD-020	1.) Baking at 85℃ for 24hrs
Precondition	monitoring tests according		2.) Moisture storage at 85℃/ 60% R.H. for
	to JEDEC Level 2	JEODOO DAOO D	168hrs
O a lala na la ilita :	1Q/ 1/ 22/ 0	JESD22-B102-B	Accelerated aging 155°C/ 24hrs
Solderability		And CNS-5068	Tinning speed: 2.5+0.5cm/s
		ONIO 5007	Tinning: A: 215℃/ 3+1s or B: 260℃/ 10+1s
Danistanas ta		CNS-5067	Dipping soldering terminal only
Resistance to			Soldering bath temperature
soldering heat			A: 260+/-5°C; 10+/-1s
	10/1/10/0	0110 11000	B: 350+/-10℃; 3+/-0.5s
	1Q/ 1/ 40/ 0	CNS-11829	1.) Precondition: 85℃ bakin g for 24hrs
Operating life test			85℃/ 60%R.H. for 168hrs
			2.) Tamb25℃; IF=20mA; duration 1000hrs
High humidity,	1Q/ 1/ 45/ 0	JESD-A101-B	Tamb: 85℃
high temperature			Humidity: 85% R.H., IF=5mA
bias			Duration: 1000hrs
High temperature	1Q/ 1/ 20	IN specs.	Tamb: 55℃
bias			IF=20mA
Dias			Duration: 1000hrs
	1Q/ 1/ 40/ 0		Tamb25℃, If=20mA,, Ip=100mA, Duty
Pulse life test			cycle=0.125 (tp=125 μ s,T=1sec)
			Duration 500hrs)
	1Q/ 1/ 76/ 0	JESD-A104-A	A cycle: -40 degree C 15min; +85 degree C
Tomporoturo		IEC 68-2-14, Nb	15min
Temperature			Thermal steady within 5 min
cycle			300 cycles
			2 chamber/ Air-to-air type
High humidity	1Q/ 1/ 40/ 0	CNS-6117	60+3℃
storage test			90+5/-10% R.H. for 500hrs
High temperature	1Q/ 1/ 40/ 0	CNS-554	100+10℃ for 500hrs
storage test			
Low temperature	1Q/ 1/ 40/ 0	CNS-6118	-40+5℃ for 500hrs
storage test			



Revision History

Changes since last revision	Page	Version No.	Revision Date
Initial Release		1.0	02-21-2017

DISCLAIMER

INOLUX reserves the right to make changes without further notice to any products herein to improve reliability, function or design. INOLUX does not assume any liability arising out of the application or use of any product or circuit described herein; neither does it convey any license under its patent rights, nor the rights of others.

LIFE SUPPORT POLICY

INOLUX's products are not authorized for use as critical components in life support devices or systems without the express written approval of the President of INOLUX or INOLUX CORPORATION. As used herein:

- 1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and (c) whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury of the user.
- 2. A critical component in any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Inolux:

IN-P32ATB IN-P32ATG IN-P32ATR IN-P32ATA IN-P32AT5UW IN-P32ATYG IN-P32ATY