PHŒNIX CONTACT

Electronic housing - EH 45 FLAT DEV-KIT KMGY - 2202529

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

DEV-KIT EH 45 FLAT: contains 1 x EH 45 FLAT housing and PCB terminal blocks (MKDS ... 5,08), supplied in individual parts

Your advantages

☑ Flat housing with overall width of 45 mm

☑ PCB terminal blocks with 5.08 mm pitch, conductor cross section 2.5 mm²

☑ Optional perfboard for soldering THT components by hand

RoHS

Key Commercial Data

Packing unit	1 pc
GTIN	4 055626 141794
GTIN	4055626141794

Technical data

General

Housing type	Component housing
Housing material	ABS
Color (RAL)	light gray

Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C (depending on power dissipation)

Dimensions

Length	75.4 mm
Height	53.5 mm
Width	45 mm

Standards and Regulations

Flammability rating according to UL 94	HB

Environmental Product Compliance

Electronic housing - EH 45 FLAT DEV-KIT KMGY - 2202529

Technical data

Environmental Product Compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#):
  [2202529](#)